

SAVIO®

Wall charger
model: LA-07

ENGLISH

Thank you for choosing Savio product

If our product meets your expectations, share your opinion with other people on the portal [censop1](#), social media or on the website of the store where you made the purchase. If you want to show our device on SAVIO Facebook Page, we will be very pleased.

If there is something that we could improve on our products, please write to us at support@savio.net.pl

Thanks to your feedback, we will be able to better adapt the product to your expectations.

Before starting the use of purchased device it is recommended to read the [usage manual](#).

- 1. Package content:**
 - SAVIO LA-07 GAIN WALL CHARGER 65 W
 - User manual
- 2. Device installation:**
 - 2.1 Connect the cable to the USB-A or USB-C socket.
 - 2.2 Insert the charger to a 230 V socket.
 - 2.3 Connect cable from the charger to the device.

3. Technical Specification:

Manufacturer's name or trade mark, commercial registration number and address:

Model identifier: LA-07

Input voltage: 100 – 240 V-

Input AC frequency: 50/60 Hz, 12 A Max

Output voltage and current:

USB-A: (USB-C) (OC 4.0+): (PD 3.0): (PD 3.0):

5.0 V – 3.0 A, 5.0 V – 3.0 A, 5.0 V – 3.0 A, 5.0 V – 3.0 A,

9.0 V – 3.0 A, 9.0 V – 3.0 A, 9.0 V – 3.0 A, 9.0 V – 3.0 A,

12.0 V – 2.5 A, 12.0 V – 3.0 A, 12.0 V – 3.0 A, 12.0 V – 3.0 A,

20.0 V – 1.5 A, 15.0 V – 3.0 A, 15.0 V – 3.0 A,

20.0 V – 1.5 A, 20.0 V – 3.25 A, 20.0 V – 3.25 A

USB-C1 + USB-C2: Ładowanie: szybkie 45 W + 20 W

USB-C1 + USB-A: Ładowanie: standardowe 15 W + 15 W

USB-C2 + USB-A: Ładowanie: standardowe 15 W + 15 W

USB-C1 + USB-C2 Ładowanie: szybkie 45 W + standardowe 15 W

USB-A: Moc wyjściowa: Max: 65 W

Output power: Max: 65 W

Average active efficiency: 81.2%

Efficiency at low load (10 %): 65.6%

No-load power consumption: 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

SAVIO®

Ładowarka ściągawa
model: LA-07

POLSKI

Dziękujemy za zakup produktu marki Savio

Jeśli nasz produkt spełnia Twoje oczekiwania, podziel się swoją opinią z innymi osobami na portalu [censop1](#), w mediach społecznościowych lub na stronie sklepu, w którym dokonałeś zakupu. Będzie nam nieźle mieło, jeśli zachcesz również pochwalić się naszym urządzeniem na profilu SAVIO na Facebooku.

Jeśli jest coś, co moglibyśmy poprawić w naszym produkcie, napisz nam o tym na adres support@savio.net.pl

Dzięki Twojej opinii będziemy mogli jeszcze lepiej dopasować produkt do Twoich oczekiwań.

Przed przystąpieniem do korzystania z zakupionego urządzenia zaleca się przeczytanie całej instrukcji obsługi.

- 1. Zawartość zestawu:**
 - ładowarka SAVIO LA-07 GAIN 65 W
 - instrukcja obsługi
- 2. Instalacja urządzenia:**
 - 2.1 Podłącz kabel do portu USB-A lub USB-C w ładowarce.
 - 2.2 Włóż ładowarkę do gniazda 230 V.
 - 2.3 Podłącz kabel z ładowarki do urządzenia.

3. Specyfikacja techniczna:

Nazwa producenta: Elmak Sp. z o.o.

Model: LA-07

Napięcie wejściowe: 100 – 240 V-

Wielkość częstotliwości prądu przemiennego: 50/60 Hz, 12 A Max

Napięcie i prąd wyjściowy:

USB-A: (USB-C) (OC 4.0+): (PD 3.0): (PD 3.0):

5.0 V – 3.0 A, 5.0 V – 3.0 A, 5.0 V – 3.0 A, 5.0 V – 3.0 A,

9.0 V – 3.0 A, 9.0 V – 3.0 A, 9.0 V – 3.0 A, 9.0 V – 3.0 A,

12.0 V – 2.5 A, 12.0 V – 3.0 A, 12.0 V – 3.0 A, 12.0 V – 3.0 A,

20.0 V – 1.5 A, 15.0 V – 3.0 A, 15.0 V – 3.0 A,

20.0 V – 1.5 A, 20.0 V – 3.25 A, 20.0 V – 3.25 A

USB-C1 + USB-C2: Ładowanie: szybkie 45 W + 20 W

USB-C1 + USB-A: Ładowanie: standardowe 15 W + 15 W

USB-C2 + USB-A: Ładowanie: standardowe 15 W + 15 W

USB-C1 + USB-C2 Ładowanie: szybkie 45 W + standardowe 15 W

USB-A: Moc wyjściowa: Max: 65 W

Output power: Max: 65 W

Average active efficiency: 81.2%

Efficiency at low load (10 %): 65.6%

No-load power consumption: 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

Efficiency at low load (10 %): 0.25 W

SAVIO®

Wall charger
model: LA-07

ENGLISH

Thank you for choosing Savio product!

If our product meets your expectations, share your opinion with other people on the portal [censop1](#), social media or on the website of the store where you made the purchase. If you want to show our device on SAVIO Facebook page, we will be very pleased.

If there is something that we could improve on our products, please write to us at support@savio.net.pl

Thanks to your feedback, we will be able to better adapt the product to your expectations.

Before starting the use of purchased device it is recommended to read the [usage manual](#).

- 1. Package content:**
 - SAVIO LA-07 GAIN WALL CHARGER 65 W
 - User manual
- 2. Device installation:**
 - 2.1 Connect the cable to the USB-A or USB-C socket.
 - 2.2 Insert the charger to a 230 V socket.
 - 2.3 Connect cable from the charger to the device.

3. Technical Specification:

Manufacturer's name or trade mark, commercial registration number and address:

Model identifier: LA-07

Input voltage: 100 – 240 V-

Input AC frequency: 50/60 Hz, 12 A Max

Output voltage and current:

USB-A: (USB-C) (OC 4.0+): (PD 3.0): (PD 3.0):

5.0 V – 3.0 A, 5.0 V – 3.0 A, 5.0 V – 3.0 A, 5.0 V – 3.0 A,

9.0 V – 3.0 A, 9.0 V – 3.0 A, 9.0 V – 3.0 A, 9.0 V – 3.0 A,

12.0 V – 2.5 A, 12.0 V – 3.0 A, 12.0 V – 3.0 A, 12.0 V – 3.0 A,

20.0 V – 1.5 A, 15.0 V – 3.0 A, 15.0 V – 3.0 A,

20.0 V – 1.5 A, 20.0 V – 3.25 A, 20.0 V – 3.25 A

USB-C1

